



CASHVISION

NEWVISION®

CASHVISION

The CASHVISION is a self-service cash payments machine, especially conceived for high-volume, cash-intensive retail scenarios. It represents an incredible way to improve the overall efficiency of cash payments, eliminating human error from the equation, and assuring the very best protection of the collected payment assets.

It uses a very simple operating principle: each time a payment is processed, the customer uses the CASHVISION to insert cash until the total amount for the purchase is reached. As the machine is connected to the POS system, it receives and counts the cash, processes the payment and, thanks to its cash recycling capabilities, always returns the correct amount of change. Its security features protect the assets, reducing the risk of theft and fraud.


Features

- 7" Touchscreen Display
- Accepts bank note and coin payments
- Secure cash recycling
- High-speed counting and validation
- High security locking system
- Electrostatic painted, highly resistant to corrosion and with low conductivity
- Wide-range and flexible integration capabilities
- Ethernet, RS232 & GSM communication
- Maintenance & Monitoring Software



Main Benefits

- Highly reduced risk of theft and fraud
- Improved efficiencies handling cash at the end of day
- Eliminates human error when counting money and giving change
- Automatic validation of denominations and rejection of counterfeit money
- Removes the need for tellers to handle money directly
- Safely stores money



Dimensions

Length	Width	Height
332mm	354mm	506mm



Use our powerful and flexible HEROCASH platform to monitor and maintain any size of kiosk or service machine network, at any time and from anywhere. With it you will get:

- Real-time modular & overall status
- Real-time capacity monitoring
- Remote maintenance & updating
- Sales & operational reports
- Alert & notification system
- Real-time ROI measurement

Specifications

CASH HANDLING TECHNICAL SPECIFICATIONS

Bank Notes

Acceptance Type	Single note
Acceptance Speed	< 2 seconds per note
Bank Note Escrow	1 bank note
Safe Type	Cash Box
Safe Capacity	1000 bank notes
Bank Note Recycler	2 denominations
Recycling Capacity	200 bank notes (100 x 2)
Recycling Speed	2,3 seconds
Dispensing Speed	1,4 seconds
Supported Denominations	Customizable

Specifications

CASH HANDLING TECHNICAL SPECIFICATIONS

Coins

Acceptance Type	Bulk
Dispensing Speed	12 coins per second
No. of Hoppers	1
Hopper capacity	1500 coins
Supported Denominations	1c; 2c; 5c; 10c; 20c; 50c; 1€; 2€ (Customizable)
Coin validation	Yes, with rejected coins returned to change receptacle

GENERAL TECHNICAL SPECIFICATION

Display	7" touchscreen
Processor	Intel
Operating System	Windows OS
Accessibility	Front Load
Communication	Ethernet; RS-232; USB; GSM (Optional)
Security Lock	Yes
Power Supply	115/ 230V AC

Contact us

www.newvision.pt
info@newvision.pt
+351 211 991 510

Sintra Business Park
Zona Industrial de Abrunheira
Edifício 4 – Escritório 2A
2710-089 Sintra
Portugal

