



CASHVISION PLUS

NEWVISION®

CASHVISION PLUS

The CASHVISION PLUS is a cash management machine, especially conceived for high-volume, cash-intensive retail scenarios. It represents an incredible way to improve the overall efficiency of staffed cash payments, eliminating human error from the equation and assuring the very best protection of the collected payment assets.

It uses a very simple working principle: whenever a payment is to be processed, the teller uses the machine to insert the customer's cash until it reaches the total amount of the purchase. Since the machine is connected to a POS system, the machine will take and count the money, process the payment and thanks to its cash recycling capabilities, it always gives back the correct amount of change. Its security features protect the assets, reducing the risk of theft and fraud.


Features

- 7" Touchscreen Display (movable)
- Accepts coin and bank note payments
- Safe-protected cash recycling
- High-speed counting and validation
- Electrostatic painted, highly resistant to corrosion and with low conductivity
- Wide-range and flexible integration capabilities
- Ethernet, RS232 & GSM communication
- Maintenance & Monitoring Software



Main Benefits

- Highly reduced risk of theft and fraud
- Improved efficiencies handling cash at the end of day
- Eliminates human error when counting money and giving change
- Automatic validation of denominations and rejection of counterfeit money
- Balances cash-availability between all tellers
- Safely stores money



Dimensions

Length	Width	Height
505mm	641mm	735mm



Use our powerful and flexible HEROCASH platform to monitor and maintain any size of kiosk or service machine network, at any time and from anywhere. With it you will get:

- Real-time modular & overall status
- Real-time capacity monitoring
- Remote maintenance & updating
- Sales & operational reports
- Alert & notification system
- Real-time ROI measurement

Specifications

CASH HANDLING TECHNICAL SPECIFICATIONS

Bank Notes

Acceptance Type	Bulk
Acceptance Speed	< 1.5 seconds per note
Bank Note Escrow	20 bank notes
Overflow Cassettes	Yes
Overflow Cassettes Capacity	1000 bank notes
Recycling Drum	4 = 260 Notes: 2 x 80 Notes + 2 x 50 Notes
Replenishment Cassette	500 notes
Transport Speed for Deposits	< 1.5 seconds per note
Dispensing Speed	1 note < 2s; 5 notes < 5s; 10 notes < 8s; 20 notes < 15s
Supported Denominations	Customizable

Specifications

CASH HANDLING TECHNICAL SPECIFICATIONS

Coins

Acceptance Type	Bulk
Bulk Insertion	Up to 100 coins
Dispensing Speed	12 coins per second
No. of hoppers	6
Hopper capacity	400
Safe Volume	up to 1000 coins
No. of denominations	1c; 2c; 5c; 10c; 20c; 50c; 1€; 2€ (Customizable)
Coin validation	Yes, with rejected coins returned to change receptacle
Display	7" touchscreen
Processor	Intel
Operating System	Windows 10
Accessibility	Front Load
UPS	APC BK600
Communication	Ethernet; RS-232; USB; GSM (Optional)
Security Lock	Pin Pad Pulse TK6430
Power Supply	115 / 230V AC

GENERAL TECHNICAL SPECIFICATION

Contact us

www.newvision.pt
info@newvision.pt
+351 211 991 510

Sintra Business Park
Zona Industrial de Abrunheira
Edifício 4 – Escritório 2A
2710-089 Sintra
Portugal

