



DEPOSITVISION BNC-R

NEWVISION®

DEPOSITVISION BNC-R

The DEPOSITVISION BNC-R is an automatic cash counting and deposit solution, suitable to handle large volumes of bank note and coin intakes, making the end-of-day process of counting and transferring easier, safer, faster and less resource demanding. It is a specialized equipment in which businesses can deposit their trust.

Its integration capabilities can establish safe protocols with banking entities, granting superior agility in executing cash transfer and deposit processes, improving cash flow availability.


Features

- 15" Touchscreen Display (front) and 7" (rear)
- 80mm Thermal Printer (front) and 57mm (rear)
- Accepts bank note and coin deposits
- High-speed counting and validation
- High Security Electronic Locking System
- High security safe and door with 12 anchor pins, distributed on 4 sides
- Electrostatic painted, highly resistant to corrosion and with low conductivity
- Wide-range and flexible integration capabilities
- Industrial-grade PC incorporated
- Uninterruptible Power Supply (UPS)



Main Benefits

- Reduced risk of theft
- Much improved efficiencies handling cash at the end of day
- Highly mitigates the human error factor in counting money
- Automatic coin validation and rejection of counterfeit money and strange objects
- By integrating with banks, the deposits can be made available immediately at the customer's account



Dimensions

Length	Width	Height
810mm	520mm	1350mm



Use our powerful and flexible HEROCASH platform to monitor and maintain any size of kiosk or service machine network, at any time and from anywhere. With it you will get:

- Real-time modular & overall status
- Real-time capacity monitoring
- Remote maintenance & updating
- Sales & operational reports
- Alert & notification system
- Real-time ROI measurement

Specifications

CASH HANDLING TECHNICAL SPECIFICATIONS

Bank Notes

Acceptance Type	Bulk
Mixed Currencies	Yes
Deposit Capacity	20,000 bank notes per bag
Transport Speed for Deposits	720 notes per minute
Supported Denominations	Customizable

Specifications

CASH HANDLING TECHNICAL SPECIFICATIONS

Coins

Acceptance Type	Bulk
Supported Denominations	Customizable
Coin Rejection Compartment	Yes
Safe Volume	16L

GENERAL TECHNICAL SPECIFICATIONS

Display	15" touchscreen (frontal) and 7" (rear)
Processor	Intel
Operating System	Windows 10
Accessibility	Rear
Printer	Thermal 80mm (front) and 57mm (rear)
UPS	Yes (optional)
Communication	Ethernet; RS-232; USB; GSM (optional)
Security Lock	Pin Pad with random key
Power Supply	115V - 230V AC

Contact us

www.newvision.pt
info@newvision.pt
+351 211 991 510

Sintra Business Park
Zona Industrial de Abrunheira
Edifício 4 – Escritório 2A
2710-089 Sintra
Portugal

