



# DEPOSITVISION C-F

**NEWVISION®**

## DEPOSITVISION C-F

The DEPOSITVISION C-F is an automatic cash counting and deposit solution, suitable to handle high volume of coin intakes and making the end-of-day process of counting and transferring easier, safer, faster and less resource demanding. It is a specialized equipment in which businesses can deposit their trust.

Its integration capabilities can establish safe protocols with banking entities, granting superior agility in executing cash transfer and deposit processes, improving cash flow availability.


### Features

- 15" Touchscreen Display
- 80mm Thermal Printer
- Accepts coins deposits
- High-speed counting and validation
- High Security Electronic Locking System
- Electrostatic painted, highly resistant to corrosion and low conductivity
- Wide-range and flexible integration capabilities
- Industrial-grade PC incorporated
- Ethernet; RS-232; USB & GSM communication
- Uninterruptible Power Supply (UPS)



## Main Benefits

- Reduced risk of theft
- Much improved efficiencies handling cash at the end of day
- Highly mitigates the human error factor in counting money
- Automatic validation of denominations and counterfeit money rejection
- By integrating with banks, the deposits can be made available immediately at the customer's account



### Dimensions

Length	Width	Height
430mm	520mm	1310mm



**HEROCASH**

Use our powerful and flexible HEROCASH platform to monitor and maintain any size of kiosk or service machine network, at any time and from anywhere. With it you will get:

- Real-time modular & overall status
- Real-time capacity monitoring
- Remote maintenance & updating
- Sales & operational reports
- Alert & notification system
- Real-time ROI measurement

## Specifications

### CASH HANDLING TECHNICAL SPECIFICATIONS

#### Coins

Acceptance Type	Bulk
Supported Denominations	Customizable
Coin Rejection Compartment	Yes
Safe Volume	30 L

## Specifications

### GENERAL TECHNICAL SPECIFICATION

Display	15" touchscreen
Processor	Intel
Operating System	Windows 10
Accessibility	Front
Printer	Thermal 80mm
UPS	Yes (optional)
Communication	Ethernet; RS-232; USB; GSM (optional)
Power Supply	115 - 230V AC

## Contact us

[www.newvision.pt](http://www.newvision.pt)  
[info@newvision.pt](mailto:info@newvision.pt)  
+351 211 991 510

Sintra Business Park  
Zona Industrial de Abrunheira  
Edifício 4 – Escritório 2A  
2710-089 Sintra  
Portugal

