



PAYVISION

NEWVISION®

PAYVISION

The PAYVISION is a versatile sales channel, combining engaging multimedia content with the ability to process bank note payments for exact amounts, as well as any kind of card payment, directly from the customer.

It can be used to pay for an incredibly wide array of services and products or top-up mobile phones, saving time for every customer and allowing businesses to enhance their resource management.


Features

- Accepts bank note payments
- Accepts credit/debit card payments
- 15" TFF LCD touchscreen display
- High-speed counting and validation
- Paper receipts support graphics, logos and text
- Multiple available methods for customer identification
- Wide-range and flexible integration capabilities
- Software Development Kit (SDK)
- Industrial-grade PC incorporated
- Uninterruptible Power Supply (UPS)
- 80mm Thermal Printer
- Electrostatic painted, highly resistant to corrosion and with low conductivity
- Meets mandatory standards for people with disabilities
- Compliant with the current CE standards



Main Benefits

- Direct sales channel with multiple payment options available
- Improves transaction processing times
- Increases the overall quality of service and human resource efficiency
- Managed Marketing Channel
- Minimum downtime guaranteed through software monitoring
- Modular built assures functional flexibility and scalability
- Real-time ROI measurement
- 24/7 Availability



Dimensions

Length	Width	Height
600mm	349mm	1107mm



Use our powerful and flexible HEROCASH platform to monitor and maintain any size of kiosk or service machine network, at any time and from anywhere. With it you will get:

- Real-time modular & overall status
- Real-time capacity monitoring
- Remote maintenance & updating
- Sales & operational reports
- Alert & notification system
- Real-time ROI measurement

Specifications

CARD READER SPECIFICATIONS

Cards

Payment Cards	Chip and/or Magnetic*
Customer ID Cards	Chip and/or Magnetic*

*Dependent on OEM module

Specifications

PAYMENT METHODS TECHNICAL SPECIFICATIONS

Bank Notes

Acceptance Type	Single Note
Acceptance Speed	< 2 seconds per note
Bank Note Escrow	1 bank note
Safe Typology	Cash Box
Safe Capacity	1000 bank notes
Bank Note Recycler	2 denominations
Recycler Capacity	200 notes (100 x 2)
Recycling Speed	2,3 seconds
Dispensing Speed	1,4 seconds
Supported Denominations	Customizable

GENERAL TECHNICAL SPECIFICATION

Display	15" touchscreen
Processor	Intel
Operating System	Windows 10
Accessibility	Front
Printer	Thermal 80mm
UPS	Yes (optional)
Communication	Ethernet; RS-232; USB; GSM (optional)
Security Lock	Yes (via software)
Power Supply	115 - 230V AC

Contact us

www.newvision.pt
info@newvision.pt
+351 211 991 510

Sintra Business Park
Zona Industrial de Abrunheira
Edifício 4 – Escritório 2A
2710-089 Sintra
Portugal

